

Subject index for volumes 27 and 28

- A clinicopathologic study of transient osteoporosis of the hip 28:621
- A comparison of bone scintigraphy and MRI in the early diagnosis of the occult scaphoid waist fracture 27:683
- A new in vivo technique for three-dimensional shoulder kinematics analysis 27:92
- A new ultrasound-based method for the assessment of torsional differences following closed intramedullary nailing of femoral fractures 28:336
- Abdominal wall, merkel cell carcinoma of the (case report) 27:396
- Acetabular dysplasia, adult, three-dimensional CT measurement of: technique, preliminary results in normal subjects, and potential applications 27:352
- Acromegaly, locking of metacarpophalangeal joints in a patient with (case report) 28:655
- Acromioclavicular dislocation, epiphyseal separation of the coracoid process without (case report) 27:461
- Adamantinoma, classic, in a 3-year-old (case report) 27:406
- AIDS patients, considering *Mycobacterium haemophilum* in the differential diagnosis for lytic bone lesions in, who present with ulcerating skin lesions (case report) 27:334
- Allografts, magnetic resonance imaging features of 28:383
- Angioendothelioma, endovascular papillary, (Dabska tumor) of bone (case report) 28:100
- Angiomatosis, hind foot, radiation-induced tibial sarcoma in a treated case of (case report) 27:164
- Angiosarcomas associated with bone infarcts 27:546
- Ankle, posterior impingement syndrome of the, MR imaging features of the posterior intermalleolar ligament in patients with 28:573
- Ankle, supination trauma of the, value of arthrography after 27:256
- Ankylosing spondylitis, comparison of radiography, computed tomography and magnetic resonance imaging in the detection of sacroiliitis accompanying 27:311
- Annulus fibrosus, degenerated, peripheral focal low signal intensity areas in the, on T2-weighted fast spin echo MR images: correlation with macroscopic and microscopic findings in elderly cadavers 28:209
- Anterior versus posterior, and rim-vent rotator cuff tears: prevalence and MR sensitivity 27:237
- Aortic graft infection, hypertrophic osteoarthropathy of one leg - a sign of (case report) 28:224
- Apophyseal joint, lumbar, synovial chondromatosis in a (case report) 27:385
- Arthritis and hidradenitis suppurativa diagnosed in a 48-year-old man (case report) 28:453
- Arthritis, nontuberculous mycobacterial bursitis and, of the shoulder (case report) 27:33
- Arthrography, value of, after supination trauma of the ankle 27:256
- Arthrogryposis type I, prenatal diagnosis of distal (case report) 28:233
- Arthropathy, progressive mutilating, with vanishing bones, granuloma annulare: radiographic demonstration of (case report) 27:211
- Arthroplasty, the pathology of total joint. I. Mechanisms of implant fixation (review article) 28:423
- Arthroplasty, the pathology of total joint. II. Mechanisms of implant failure (review article) 28:483
- Articular injuries (chondral, osteochondral and subchondral fractures), imaging of acute injuries of the (review article) 28:545
- Avulsive cortical irregularities, bilateral, in a gymnast, marrow MR signal abnormality associated with (case report) 27:511
- Benign and malignant cartilage tumors of bone and joint: their anatomic and theoretical basis with an emphasis on radiology, pathology and clinical biology. II. Juxtacortical cartilage tumors (review article) 28:1
- Biceps tendon, long head, intracapsular origin of (case report) 28:178
- Bicipital tendon, long, MR arthrographic findings in tenosynovitis of the, of the shoulder 27:7
- Bicipito-radial, rice body formation in bursitis: ultrasound, CT, and MRI findings (case report) 27:30
- Bifocal sclerosing osteosarcoma: unusual presentation and course (case report) 27:453
- Bilateral lunare intraosseous ganglia (case report) 27:708
- Bizarre parosteal osteochondromatous proliferation of bone (case report) 27:154
- Bone cyst, post-traumatic: a case of the floating fragment (case report) 27:400
- Bone densitometry, precision and intersite correlation of, at the radius, tibia and femur with peripheral quantitative CT 28:696
- Bone infarct, malignant fibrous histiocytoma associated with a, in a patient with hereditary bone dysplasia (case report) 27:463
- Bone infarcts, angiosarcomas associated with 27:546
- Bone island and leprosy 27:330
- Bone marrow lesions, classification and detection of, with magnetic resonance imaging (review article) 27:529
- Bone marrow, correlation between water content and magnetization transfer ratio of the water component in, using gradient-echo imaging: normal case study 27:484
- Bone marrow, frequency and spectrum of abnormalities in the, of the wrist: MR imaging findings 28:312
- Bone marrow, heterogeneous signal in, on MRI of children's feet: a normal finding? 28:274
- Bone marrow, normal, magnetic resonance of (review article) 27:471
- Bone scintigraphy and magnetic resonance imaging after transtrochanteric rotational osteotomy 28:251
- Bone scintigraphy, a comparison of, and MRI in the early diagnosis of the occult scaphoid waist fracture 27:683
- Brachial plexopathy, MR imaging of, in breast cancer patients without palpable recurrence 28:318
- Breast cancer, MR imaging of brachial plexopathy in, patients without palpable recurrence 28:318
- Breast cancer, skeletal metastases from: uptake of ¹⁸F-fluoride measured with positron emission tomography in correlation with CT 27:72
- Broad clavicles in trisomy 8 mosaicism: a new sign (case report) 28:359
- Bursitis, bicipito-radial, rice body formation in: ultrasound, CT, and MRI findings (case report) 27:30
- Bursitis, nontuberculous mycobacterial, and arthritis of the shoulder (case report) 27:33
- Bursitis, retrocalcaneal, MRI-induced (case report) 28:581
- Calcaneal bone, infarction, characteristics of: an MR imaging investigation 27:321
- Calcaneal fractures, helical CT of: technique and imaging features (review article) 27:1
- Calcification in chondromyxoid fibroma, radiographic and histologic patterns of 27:559
- Carbohydrate-deficient glycoprotein syndrome type I: a new cause of dysostosis multiplex (case report) 27:43
- Carotid body paraganglioma metastatic to bone: report of two cases (case report) 27:103
- Cartilage destruction in small joints by rheumatoid arthritis: assessment of fat-suppressed three-dimensional gradient-echo MR pulse sequences in vitro 27:677
- Cartilage tumors of bone and joint, benign and malignant: their anatomic and theoretical basis with an emphasis on radiology, pathology and clinical biology. II. Juxtacortical cartilage tumors (review article) 28:1
- Cartilage, articular: orientation-dependent changes in MR signal intensity of: a manifestation of the "magic angle" effect 27:306
- Cartilage, hyaline, MR imaging of at 0.5 T: a quantitative and qualitative in vitro evaluation of three types of sequences 27:297
- Castleman's disease of the erector spinae muscle (case report) 27:637
- Cervical spine, sclerotic lesions of the in sarcoidosis (case report) 27:702

Subject index for volumes 27 and 28

- A clinicopathologic study of transient osteoporosis of the hip 28:621
- A comparison of bone scintigraphy and MRI in the early diagnosis of the occult scaphoid waist fracture 27:683
- A new in vivo technique for three-dimensional shoulder kinematics analysis 27:92
- A new ultrasound-based method for the assessment of torsional differences following closed intramedullary nailing of femoral fractures 28:336
- Abdominal wall, merkel cell carcinoma of the (case report) 27:396
- Acetabular dysplasia, adult, three-dimensional CT measurement of: technique, preliminary results in normal subjects, and potential applications 27:352
- Acromegaly, locking of metacarpophalangeal joints in a patient with (case report) 28:655
- Acromioclavicular dislocation, epiphyseal separation of the coracoid process without (case report) 27:461
- Adamantinoma, classic, in a 3-year-old (case report) 27:406
- AIDS patients, considering *Mycobacterium haemophilum* in the differential diagnosis for lytic bone lesions in, who present with ulcerating skin lesions (case report) 27:334
- Allografts, magnetic resonance imaging features of 28:383
- Angioendothelioma, endovascular papillary, (Dabska tumor) of bone (case report) 28:100
- Angiomas, hind foot, radiation-induced tibial sarcoma in a treated case of (case report) 27:164
- Angiosarcomas associated with bone infarcts 27:546
- Ankle, posterior impingement syndrome of the, MR imaging features of the posterior intermalleolar ligament in patients with 28:573
- Ankle, supination trauma of the, value of arthrography after 27:256
- Ankylosing spondylitis, comparison of radiography, computed tomography and magnetic resonance imaging in the detection of sacroiliitis accompanying 27:311
- Annulus fibrosus, degenerated, peripheral focal low signal intensity areas in the, on T2-weighted fast spin echo MR images: correlation with macroscopic and microscopic findings in elderly cadavers 28:209
- Anterior versus posterior, and rim-vent rotator cuff tears: prevalence and MR sensitivity 27:237
- Aortic graft infection, hypertrophic osteoarthropathy of one leg - a sign of (case report) 28:224
- Apophyseal joint, lumbar, synovial chondromatosis in a (case report) 27:385
- Arthritis and hidradenitis suppurativa diagnosed in a 48-year-old man (case report) 28:453
- Arthritis, nontuberculous mycobacterial bursitis and, of the shoulder (case report) 27:33
- Arthrography, value of, after supination trauma of the ankle 27:256
- Arthrogyposis type I, prenatal diagnosis of distal (case report) 28:233
- Arthropathy, progressive mutilating, with vanishing bones, granuloma annulare: radiographic demonstration of (case report) 27:211
- Arthroplasty, the pathology of total joint. I. Mechanisms of implant fixation (review article) 28:423
- Arthroplasty, the pathology of total joint. II. Mechanisms of implant failure (review article) 28:483
- Articular injuries (chondral, osteochondral and subchondral fractures), imaging of acute injuries of the (review article) 28:545
- Avulsive cortical irregularities, bilateral, in a gymnast, marrow MR signal abnormality associated with (case report) 27:511
- Benign and malignant cartilage tumors of bone and joint: their anatomic and theoretical basis with an emphasis on radiology, pathology and clinical biology. II. Juxtacortical cartilage tumors (review article) 28:1
- Biceps tendon, long head, intracapsular origin of (case report) 28:178
- Bicipital tendon, long, MR arthrographic findings in tenosynovitis of the, of the shoulder 27:7
- Bicipito-radial, rice body formation in bursitis: ultrasound, CT, and MRI findings (case report) 27:30
- Bifocal sclerosing osteosarcoma: unusual presentation and course (case report) 27:453
- Bilateral lunata intraosseous ganglia (case report) 27:708
- Bizarre parosteal osteochondromatous proliferation of bone (case report) 27:154
- Bone cyst, post-traumatic: a case of the floating fragment (case report) 27:400
- Bone densitometry, precision and intersite correlation of, at the radius, tibia and femur with peripheral quantitative CT 28:696
- Bone infarct, malignant fibrous histiocytoma associated with a, in a patient with hereditary bone dysplasia (case report) 27:463
- Bone infarcts, angiosarcomas associated with 27:546
- Bone island and leprosy 27:330
- Bone marrow lesions, classification and detection of, with magnetic resonance imaging (review article) 27:529
- Bone marrow, correlation between water content and magnetization transfer ratio of the water component in, using gradient-echo imaging: normal case study 27:484
- Bone marrow, frequency and spectrum of abnormalities in the, of the wrist: MR imaging findings 28:312
- Bone marrow, heterogeneous signal in, on MRI of children's feet: a normal finding? 28:274
- Bone marrow, normal, magnetic resonance of (review article) 27:471
- Bone scintigraphy and magnetic resonance imaging after transtrochanteric rotational osteotomy 28:251
- Bone scintigraphy, a comparison of, and MRI in the early diagnosis of the occult scaphoid waist fracture 27:683
- Brachial plexopathy, MR imaging of, in breast cancer patients without palpable recurrence 28:318
- Breast cancer, MR imaging of brachial plexopathy in, patients without palpable recurrence 28:318
- Breast cancer, skeletal metastases from: uptake of ^{18}F -fluoride measured with positron emission tomography in correlation with CT 27:72
- Broad clavicles in trisomy 8 mosaicism: a new sign (case report) 28:359
- Bursitis, bicipito-radial, rice body formation in: ultrasound, CT, and MRI findings (case report) 27:30
- Bursitis, nontuberculous mycobacterial, and arthritis of the shoulder (case report) 27:33
- Bursitis, retrocalcaneal, MRI-induced (case report) 28:581
- Calcaneal bone, infarction, characteristics of: an MR imaging investigation 27:321
- Calcaneal fractures, helical CT of: technique and imaging features (review article) 27:1
- Calcification in chondromyxoid fibroma, radiographic and histologic patterns of 27:559
- Carbohydrate-deficient glycoprotein syndrome type I: a new cause of dysostosis multiplex (case report) 27:43
- Carotid body paraganglioma metastatic to bone: report of two cases (case report) 27:103
- Cartilage destruction in small joints by rheumatoid arthritis: assessment of fat-suppressed three-dimensional gradient-echo MR pulse sequences in vitro 27:677
- Cartilage tumors of bone and joint, benign and malignant: their anatomic and theoretical basis with an emphasis on radiology, pathology and clinical biology. II. Juxtacortical cartilage tumors (review article) 28:1
- Cartilage, articular: orientation-dependent changes in MR signal intensity of: a manifestation of the "magic angle" effect 27:306
- Cartilage, hyaline, MR imaging of at 0.5 T: a quantitative and qualitative in vitro evaluation of three types of sequences 27:297
- Castleman's disease of the erector spinae muscle (case report) 27:637
- Cervical spine, sclerotic lesions of the in sarcoidosis (case report) 27:702

- Characteristics of calcaneal bone infarction: an MR imaging investigation 27:321
- Cherubism: clinicopathologic features (*case report*) 28:350
- Chest radiographs, admission, of substance abuse detoxification patients, complications related to osteopenia in the thoracic spine 27:565
- Child, upper extremity and rib stress fractures in a (*case report*) 27:403
- Children's feet, heterogeneous signal in bone marrow on MRI of: a normal finding? 28:274
- Chondroblastic osteosarcoma: characterisation by gadolinium-enhanced MR imaging correlated with histopathology 27:145
- Chondroblastoma, malignant, presenting as a recurrent pelvic tumor with DNA aneuploidy and p53 mutation as a supportive evidence of malignancy (*case report*) 28:644
- Chondrocalcinosis of the hyaline cartilage of the knee: MRI manifestation 27:369
- Chondroma, intracortical (*case report*) 27:581
- Chondroma, periosteal, concurrent enchondroma and, of the humerus mimicking chondrosarcoma (*case report*) 27:337
- Chondromyxoid fibroma of two thoracic vertebrae (*case report*) 28:286
- Chondromyxoid fibroma, radiographic and histologic patterns of calcification in 27:559
- Chondrosarcoma of the foot: imaging, surgical and pathological correlation of three new cases 28:153
- Chondrosarcoma of the short tubular bones of the hands and feet 27:625
- Chondrosarcoma, clear cell, of the pelvis in a skeletally immature patient (*case report*) 28:290
- Chondrosarcoma, extraskeletal myxoid, of the knee (*case report*) 28:354
- Chondrosarcoma, primary juxtacortical, dedifferentiating after 20 years (*case report*) 27:563
- Chordoma, vertebral intra-osseous, or giant notochordal rest? (*case report*) 28:342
- Chronic avulsive injuries of childhood 28:138
- Classic adamantinoma in a 3-year-old (*case report*) 27:406
- Classification and detection of bone marrow lesions with magnetic resonance imaging (*review article*) 27:529
- Clavicle, condensing osteitis of the, in a man (*case report*) 27:291
- Clavicle, distal, post-traumatic and stress-induced osteolysis of the: MR imaging findings in 17 patients 28:202
- Clavicle, solitary infantile myofibromatosis involving the (*case report*) 28:473
- Clear cell chondrosarcoma of the pelvis in a skeletally immature patient (*case report*) 28:290
- Clinical significance of erosive azotemic osteodystrophy: a prospective masked study 28:86
- Club foot, tarsal navicular relations in: is there a role for magnetic resonance imaging? 27:440
- Comparison of polytomography and computed tomography for fracture assessment 28:330
- Comparison of radiography, computed tomography and magnetic resonance imaging in the detection of sacroiliitis accompanying ankylosing spondylitis 27:311
- Complications related to osteopenia in the thoracic spine on admission chest radiographs of substance abuse detoxification patients 27:565
- Computed tomography of Paget disease of the skull versus fibrous dysplasia 27:664
- Concurrent enchondroma and periosteal chondroma of the humerus mimicking chondrosarcoma (*case report*) 27:337
- Condensing osteitis of the clavicle in a man (*case report*) 27:291
- Congenital maldevelopment of intervertebral disc simulating a neurofibroma (*case report*) 27:388
- Considering *Mycobacterium haemophilum* in the differential diagnosis for lytic bone 27:484
- Corocoid process, epiphyseal separation of the, without acromioclavicular dislocation (*case report*) 27:461
- Correlation between water content and magnetization transfer ratio of the water component in bone marrow using gradient-echo images: normal case study 27:484
- Cryptococcoma of the sacrum (*case report*) 28:49
- CT, quantitative, precision and intersite correlation of bone densitometry at the radius, tibia and femur with peripheral 28:696
- Dedifferentiated parosteal osteosarcoma with high-gradenosteoclast-rich osteogenic sarcoma at presentation (*case report*) 27:574
- Dedifferentiated parosteal osteosarcoma with rhabdomyosarcomatous differentiation (*case report*) 28:527
- Deep soft tissue hemangiomas (*letter to the editor*) 28:57
- Deep soft tissue leiomyoma of the thigh (*case report*) 28:411
- Denervation syndromes of the shoulder girdle: MR imaging with electrophysiologic correlation 28:567
- Density predicts the activity-dependent failure load of proximal femora with defects 28:90
- Desmoplastic fibroblastoma, synovial, of hip joint with bone erosion (*case report*) 28:402
- Developed sonographic method and conventional methods 27:271
- Diagnostic imaging of lipoma arborescens 27:325
- Digital enlargement in tuberous sclerosis (*case report*) 28:116
- Disorders of the hallux sesamoid complex: MR features (*review article*) 27:411
- Distal radius, MRI of fractures of the: comparison with conventional radiographs 27:244
- Doppler duplex color localization of osteoid osteomas (*case report*) 28:107
- Dynamic contrast-enhanced MRI with subtraction of aggressive soft tissue tumors after resection 27:505
- Dysostosis multiplex, carbohydrate-deficient glycoprotein syndrome type I: a new cause of (*case report*) 27:43
- Ebb and flow rickets in a premature infant: the Afghan turban sign (*case report*) 28:651
- Elbow, MR imaging of the major nerves about the: cadaveric study examining the effect of flexion and extension of the elbow and pronation and supination of the forearm 27:419
- Elephantiasis neuromatosa, magnetic resonance imaging of (*case report*) 27:696
- Enchondroma, concurrent, and periosteal chondroma of the humerus mimicking chondrosarcoma (*case report*) 27:337
- Endovascular papillary angioendothelioma (Dabska tumor) of bone (*case report*) 28:100
- Ependymoma, osteolytic extra-axial sacral myxopapillary (*case report*) 28:584
- Epicondylitis, MR imaging of 27:133
- Epiphyseal separation of the corocoid process without acromioclavicular dislocation (*case report*) 27:461
- Epithelioid sarcoma, intraarticular (*case report*) 27:453
- Equinovarus deformity, giant ossified cavernous hemangioma of an extremity associated with an (*case report*) 27:522
- Erdheim-Chester disease: radiographic findings in five patients 27:127
- Erector spinae muscle, Castleman's disease of the (*case report*) 27:637
- Evaluation of the articular cartilage thickness of the humeral head and the glenoid fossa by MR arthrography: anatomic correlation in cadavers 27:500
- Evaluation of the postoperative meniscus of the knee: a study comparing conventional arthrography, conventional MR imaging, MR arthrography with iodinated contrast material, and MR arthrography with gadolinium-based contrast material 28:508
- Ewing's sarcoma, preoperative evaluation and monitoring chemotherapy in patients with high-grade osteogenic and: review of current imaging modalities (*review article*) 27:57
- Exostoses, multiple, multicentric malignant transformation of (*case report*) 27:233
- Extrasosseous calcified plasmacytoma causing thoracic myelopathy (*case report*) 28:347
- Extraskeletal myxoid chondrosarcoma of the knee (*case report*) 28:354
- Extraskeletal osteochondroma of the foot (*case report*) 28:594
- Fat-suppressed fast spin-echo mid-TE (TE[effective]=34) MR images: comparison with fast spin-echo T2-weighted images for the diagnosis of tears and an-

- atomic variants of the glenoid labrum 28:685
- Femoral capital epiphysis, slipped in a patient with type 2 autosomal dominant osteopetrosis (*case report*) 27:515
- Femoral fractures, a new ultrasound-based method for the assessment of torsional differences following closed intramedullary nailing of 28:336
- Femoral shaft, internal derangement of the knee after ipsilateral, fracture: MR imaging findings 27:434
- Femoral, capital epiphysis, slipped: a physal lesion diagnosed by MRI, with radiographic and CT correlation 27:139
- ¹⁸F-fluoride, uptake of, skeletal metastases from breast cancer: measured with positron emission tomography in correlation with CT 27:72
- Fibrogenesis imperfecta ossium: imaging correlation in three new patients 28:390
- Fibrolipomatous hamartoma: pathognomonic on MR imaging 28:260
- Fibroma of tendon sheath of the infrapatellar fat pad (*case report*) 28:407
- Fibrous dysplasia, computed tomography of Paget disease of the skull versus 27:664
- Fibrous histiocytoma of bone, malignant, conventional X-ray and MR imaging features 27:552
- Fibrous histiocytoma, malignant, associated with a bone infarct in a patient with hereditary bone dysplasia (*case report*) 27:463
- Finger in a swimmer, radiographically ossified ganglion cyst of the (*case report*) 27:705
- Flexor digitorum accessorius longus, MR imaging of 28:130
- Flexor digitorum tendons, closed ruptures of the, MRI evaluation 27:617
- Floating fragment, post-traumatic bone cyst: a case of the (*case report*) 27:400
- Focal myositis (*case report*) 27:283
- Foot and ankle, MR imaging of inflammatory joint diseases of the (*review article*) 28:663
- Foot, chondrosarcoma of the: imaging, surgical and pathological correlation of three new cases 28:153
- Foot, extraskelatal osteochondroma of the (*case report*) 28:594
- Foot, rheumatoid nodule of the: MRI appearances mimicking an indeterminate soft tissue mass (*case report*) 27:457
- Fracture assessment, comparison of polytomography and computed tomography for 28:330
- Fracture of the lateral process of the talus: appearance at MR imaging and clinical significance (*case report*) 28:236
- Fracture, internal derangement of the knee after ipsilateral femoral shaft: MR imaging findings 27:434
- Fractures of the distal radius, MRI of: comparison with conventional radiographs 27:244
- Fractures, femoral, a new ultrasound-based method for the assessment of torsional differences following closed intramedullary nailing of 28:336
- Fractures, MRI findings of thoracolumbar spine: a categorisation based on MRI examinations of 100 fractures 28:433
- Frequency and spectrum of abnormalities in the bone marrow of the wrist: MR imaging findings 28:312
- Ganglia, intraosseous, bilateral lunate (*case report*) 27:708
- Ganglion cyst, ossified, radiographically, of the finger in a swimmer (*case report*) 27:705
- Ganglion, intraneural, peroneal nerve palsy caused by (*case report*) 28:52
- Giant cell reparative granuloma of the phalanx of the hand with aggressive radiographic features (*case report*) 27:584
- Giant cell tumor of bone with selective metastases to mediastinal lymph nodes (*case report*) 27:341
- Giant ossified cavernous hemangioma of an extremity associated with an equinovarus deformity (*case report*) 27:522
- Glenohumeral instability: evaluation using MR arthrography of the shoulder (*review article*) 28:365
- Glenoid fossa, evaluation of articular cartilage thickness of the humeral head and the, by MR arthrography: anatomic correlation in cadavers 27:500
- Glenoid labrum, fat-suppressed fast spin-echo mid-TE (TE[effective]=34) MR images: comparison with fast spin-echo T2-weighted images for the diagnosis of tears and anatomic variants of the 28:685
- Glioma, supra- and an infratentorial, simultaneous occurrence of a, in a patient with Ollier's disease: more evidence for non-mesodermal tumor predisposition in multiple enchondromatosis (*case report*) 27:688
- Gluteal, tuberculous abscess without bone involvement (*case report*) 27:36
- Gouty tophi, intra-articular of the knee: CT and MR imaging in 12 patients 28:75
- Gracilis muscle and tendon, tuberculous infection of the, clinically mimicking deep venous thrombosis: sonographic findings (*case report*) 28:457
- Grading of subcutaneous soft tissue tumors by means of their relationship with the superficial fascia on MR imaging 27:657
- Granular cell tumor of the subcutis: CT and MRI findings. A report of three cases 28:96
- Granulocytic sarcoma (chloroma) of the sacrum: initial manifestation of leukemia (*case report*) 27:112
- Granuloma annulare, subcutaneous: MR imaging findings (*case report*) 27:215
- Granuloma annulare, subcutaneous: radiologic appearance 27:266
- Granuloma annulare: radiographic demonstration of progressive mutilating arthropathy with vanishing bones (*case report*) 27:211
- Granuloma, giant cell reparative, of the phalanx of the hand with aggressive radiographic features (*case report*) 27:584
- Growth plate injury, pediatric, MRI of: correlation with plain film radiographs and clinical outcome 27:250
- Gymnast, marrow MR signal abnormality associated with bilateral avulsive cortical irregularities in a (*case report*) 27:511
- Hallux sesamoid complex, disorders of the: MR features (*review article*) 27:411
- Hand and wrist, masses and pseudomasses of the: MR findings in 134 cases 28:498
- Hand, partial transient osteoporosis of the 28:324
- Hands and feet, chondrosarcoma of the short tubular bones of the 27:625
- Helical CT of calcaneal fractures: technique and imaging features (*review article*) 27:1
- Hemangi endothelioma, intramuscular spindle cell (*case report*) 28:477
- Hemangioma of bone, surface-based: three case studies and a review of the literature 27:182
- Hemangioma, cavernous, giant ossified, of an extremity associated with an equinovarus deformity (*case report*) 27:522
- Hemangioma, thoracic vertebral, spinal cord compression caused by, involving only the posterior elements of two contiguous vertebrae (*case report*) 27:169
- Hemangiomas, deep soft tissue, regional bone changes in: radiographic and MR features 27:205
- Hemangiopericytomas, osseous, of unsuspected intracranial origin (*case report*) 27:98
- Hematoma, the radiological findings in chronic expanding 28:396
- Hereditary bone dysplasia, malignant fibrous histiocytoma associated with a bone infarct in a patient with (*case report*) 27:463
- Heterogeneous signal in bone marrow on MRI of children's feet: a normal finding? 28:274
- Hidradenitis suppurativa, arthritis and, diagnosed in a 48-year-old man (*case report*) 28:453
- Hidradenoma, clear cell, MRI appearance of (*case report*) 28:104
- High-frequency ultrasound examination of the wrist and hand (*review article*) 28:121
- Hip joint, synovial desmoplastic fibroblastoma of, with bone erosion (*case report*) 28:402
- Hip, a clinicopathologic study of transient osteoporosis of the 28:621
- Hip, fractures, suspected, magnetic resonance imaging: a cost-effective alternative to bone scintigraphy in the evaluation of patients with 27:199
- Hip, magnetic resonance imaging of the with a pelvic phased-array surface coil: a technical note 27:77
- Humeral head, vanishing osteosclerotic lesion of the (*case report*) 27:50

- Hyaline cartilage of the knee, chondrocalcinosis of the: MRI manifestation 27:369
- Hydatidosis, sacral: value of MRI in the diagnosis (*case report*) 27:518
- Hyperostosis generalisata with striations of the bones: report of a female case and a review of the literature (*case report*) 28:460
- Hypertrophic osteoarthropathy of one leg - a sign of aortic graft infection (*case report*) 28:224
- Hypertrophy and pseudohypertrophy of the lower leg following chronic radiculopathy and neuropathy: imaging findings in two patients (*case report*) 28:229
- Iliac bone, parosteal osteoma of the (*case report*) 27:161
- Imaging features of subcutaneous sarcoidosis 27:359
- Imaging of acute injuries of the articular surfaces (chondral, osteochondral and subchondral fractures) (*review article*) 28:545
- Impingement test injection, shoulder MRI after 27:365
- Indirect MR arthrography of anterior shoulder instability in the ABER and apprehension positions: a prospective comparative study of two different shoulder positions during MRI using intravenous gadodiamide contrast for enhancement of the joint fluid 27:488
- Infarction, calcaneal bone, characteristics of: an MR imaging investigation 27:321
- Inflammatory joint diseases of the foot and ankle, MR imaging of, (*review article*) 28:663
- Internal derangements of the shoulder: decision tree and cost-effectiveness analysis of conventional arthrography, conventional MRI, and MR arthrography 28:670
- Intervertebral disc, congenital maldevelopment of, simulating a neurofibroma (*case report*) 27:388
- Intra-articular entrapment of the medial collateral ligament: radiographic and MRI findings (*case report*) 28:658
- Intraarticular epithelioid sarcoma (*case report*) 27:453
- Intra-articular gouty tophi of the knee: CT and MR imaging in 12 patients 28:75
- Intracapsular origin of the long head of the biceps tendon (*case report*) 28:178
- Intracortical chondroma (*case report*) 27:581
- Intracortical osteoblastic osteosarcoma with oncogenic rickets (*case report*) 28:41
- Intracortical osteosarcoma (*case report*) 27:228
- Intracranial origin, unsuspected, osseous hemangiopericytomas of (*case report*) 27:98
- Intramuscular metastasis from malignant melanoma: MR findings (*case report*) 28:714
- Intramuscular myxomas, Mazabraud's syndrome, polyostotic fibrous dysplasia associated with (*case report*) 27:278
- Intramuscular spindle cell hemangioma (*case report*) 28:477
- Intramuscular vascular malformations of an extremity: findings on MR imaging and pathologic correlation 28:515
- Intraosseous malignant peripheral nerve sheath tumor in a patient with neurofibromatosis (*case report*) 27:346
- Intraosseous meningioma (*case report*) 27:108
- Joint fluid enhancement at MRI of the glenohumeral joint with intravenous injection of gadodiamide in standard and triple dose: a prospective comparative study of stable and unstable shoulders 27:87
- Juxtacortical, chondrosarcoma, primary, differentiating after 20 years (*case report*) 27:563
- Knee, chondrocalcinosis of the hyaline cartilage of the: MRI manifestation 27:369
- Knee, evaluation of the postoperative meniscus of the: a study comparing conventional arthrography, conventional MR imaging, MR arthrography with iodinated contrast material, and MR arthrography with gadolinium-based contrast material 28:508
- Knee, extralethal myxoid chondrosarcoma of the (*case report*) 28:354
- Knee, internal derangement of the, after ipsilateral femoral shaft fracture: MR imaging findings 27:434
- Knee, intra-articular gouty tophi of the: CT and MR imaging in 12 patients 28:75
- Knee, posteromedial corner of the: MR imaging with gross anatomic correlation 28:305
- Knee, radiography in osteoarthritis of the (*review article*) 28:605
- Labrocapsular, posterior, periosteal sleeve avulsion complicating locked posterior shoulder dislocation (*case report*) 27:588
- Langerhans cell histiocytosis: unusual skeletal manifestations observed in thirty-four cases 27:177
- Langerhans' cell histiocytosis of the spine: use of MRI in guiding biopsy 27:673
- Laser guidance system, potentials of a new, for percutaneous musculoskeletal procedures 27:18
- Leiomyoma, deep soft tissue, of the thigh (*case report*) 28:411
- Leprosy, bone island and 27:330
- Lesions in AIDS patients who present with ulcerating skin lesions (*case report*) 27:334
- Leukemia, granulocytic sarcoma (chloroma) of the sacrum: initial manifestation of (*case report*) 27:112
- Ligament injuries, magnetic resonance imaging in the evaluation of (*review article*) 28:61
- Light chain deposition disease in multiple myeloma: MR imaging features correlated with histopathological findings (*case report*) 27:173
- Lipoma arborescens, diagnostic imaging of 27:325
- Lipoma arborescens, subacromial-subdeltoid, associated with a rotator cuff tear (*case report*) 28:283
- Lipoma, parosteal, posterior interosseous nerve palsy caused by, of the proximal radius 27:375
- Lipomas, intramuscular, MRI findings in 28:145
- Locking of metacarpophalangeal joints in a patient with acromegaly (*case report*) 28:655
- Low incorporation of soleus tendon: a potential diagnostic pitfall on MR imaging (*case report*) 27:222
- Lumbar apophyseal joint, synovial chondromatosis in a (*case report*) 27:385
- Lumbar disc height, radiographic evaluation of the 28:638
- Lumbar facet joints, MR imaging and CT in osteoarthritis of the 28:215
- Lumbar lordosis, measurements of vertebral shape by radiographic morphometry: sex differences and relationships with vertebral level and 27:380
- Lunate, bilateral intraosseous ganglia (*case report*) 27:708
- Lunatomalacia, MRI follow-up of pisiform bone transposition for treatment of 27:26
- Lymphadenopathy, massive, sinus histiocytosis with, (Rosai-Dorfman disease) presenting with skeletal lesions (*case report*) 27:115
- Lymphangiomatosis of bone, sclerotic variant of: imaging findings at diagnosis and long-term follow-up (*case report*) 27:445
- Lymphoma of bone, primary non-Hodgkin: unusual manifestation of lymphoproliferative disease following liver transplantation (*case report*) 28:175
- "Magic angle" effect, orientation-dependent changes in MR signal intensity of articular cartilage: a manifestation of the 27:306
- Magnetic resonance imaging features of allografts 28:383
- Magnetic resonance imaging in the evaluation of ligament injuries (*review article*) 28:61
- Magnetic resonance imaging of elephantiasis neuromatosa (*case report*) 27:696
- Magnetic resonance imaging of the hip with a pelvic phased-array surface coil: a technical note 27:77
- Magnetic resonance imaging of the normal bone marrow (*review article*) 27:471
- Magnetic resonance imaging of the temporomandibular joint: diagnostic difficulty caused by extensive pneumatization of the mastoid air cells 28:577
- Magnetic resonance imaging, bone scintigraphy and, after transtrochanteric rotational osteotomy 28:251
- Magnetic resonance imaging, peritumoral edema in osteoid osteoma on 28:265
- Magnetic resonance imaging: a cost-effective alternative to bone scintigraphy in the

- evaluation of patients with suspected hip fractures 27:199
- Malignancy in pigmented villonodular synovitis (*case report*) 27:392
- Malignant chondroblastoma presenting as a recurrent pelvic tumor with DNA aneuploidy and p53 mutation as a supportive evidence of malignancy (*case report*) 28:644
- Malignant degeneration of an osteochondroma with unusual intra-bursal invasion (*case report*) 28:540
- Malignant fibrous histiocytoma associated with a bone infarct in a patient with hereditary bone dysplasia (*case report*) 27:463
- Malignant fibrous histiocytoma of bone: conventional X-ray and MR imaging features 27:552
- Mandible, neurilemmoma of the (*case report*) 28:536
- Marrow disease, mastocytosis: magnetic resonance imaging patterns of 27:119
- Marrow MR signal abnormality associated with bilateral avulsive cortical irregularities in a gymnast (*case report*) 27:511
- Masses and pseudomasses of the hand and wrist: MR findings in 134 cases 28:498
- Massive osteolysis in a girl with agenesis of thyroid C cells (*case report*) 27:525
- Mastocytosis: magnetic resonance imaging patterns of marrow disease 27:119
- Mazabraud's syndrome, polyostotic fibrous dysplasia associated with intramuscular myxomas (*case report*) 27:278
- Mazabraud's syndrome, osteosarcoma in a patient with McCune-Albright syndrome and (*case report*) 28:522
- McCune-Albright syndrome, osteosarcoma in a patient with, and Mazabraud's syndrome (*case report*) 28:522
- Measurements of vertebral shape by radiographic morphometry: sex differences and relationships with vertebral level and lumbar lordosis 27:380
- Medial collateral ligament, intra-articular entrapment of the: radiographic and MRI findings (*case report*) 28:658
- Mediastinal lymph nodes, giant cell tumor of bone with selective metastases to (*case report*) 27:341
- Melanoma, malignant, intramuscular metastasis from: MR findings (*case report*) 28:714
- Melorheostosis, sclerotomy distribution of, and multicentric fibromatosis (*case report*) 27:633
- Meningioma, intrasosseous (*case report*) 27:108
- Meniscal bucket-handle tears, MRI of 27:495
- Meniscal cysts, lateral, tibial plateau erosions associated with (*case report*) 27:288
- Meniscomfemoral ligaments, variations in, at anatomical study and MR imaging 28:189
- Merkel cell carcinoma of the abdominal wall (*case report*) 27:396
- Metastases, selective, giant cell tumor of bone with, to mediastinal lymph nodes (*case report*) 27:341
- Metastases, skeletal muscle, osteogenic sarcoma with (*case report*) 28:298
- Metastatic to bone, carotid body paraganglioma: report of two cases (*case report*) 27:103
- Metatarsal bones, lateral, stress fractures of the, in metatarsus adductus foot deformity: a previously unrecognized association 28:679
- Metatarsal heads, stress fractures of the 27:22
- Metatarsus adductus foot deformity, stress fractures of the lateral metatarsal bones in: a previously unrecognized association 28:679
- Morphometry, radiographic, measurements of vertebral shape by: sex differences and relationships with vertebral level and lumbar lordosis 27:380
- MR arthrographic findings in tenosynovitis of the long bicipital tendon of the shoulder 27:7
- MR arthrography, evaluation of the postoperative meniscus of the knee: a study comparing conventional arthrography, conventional MR imaging, MR arthrography with iodinated contrast material, and with gadolinium-based contrast material 28:508
- MR arthrography, glenohumeral instability: evaluation using, of the shoulder (*review article*) 28:365
- MR arthrography, indirect, of anterior shoulder instability in the ABER and the apprehension test positions: a prospective comparative study of the two different shoulder positions during MRI using intravenous gadodiamide contrast for enhancement of the joint fluid 27:488
- MR arthrography, internal derangements of the shoulder: decision tree and cost-effectiveness analysis of conventional arthrography, conventional MRI, and 28:670
- MR features, disorders of the hallux sesamoid complex: (*review article*) 27:411
- MR findings in 134 cases, masses and pseudomasses of the hand and wrist: 28:498
- MR findings, intramuscular metastasis from malignant melanoma: (*case report*) 28:714
- MR images, fat-suppressed fast spin-echo mid-TE (TE[effective]=34): comparison with fast spin-echo T2-weighted images for the diagnosis of tears and anatomic variants of the glenoid labrum 28:685
- MR imaging after therapeutic injection of the subacromial bursa 28:628
- MR imaging and CT in osteoarthritis of the lumbar facet joints 28:215
- MR imaging and pediatric fractures (*letter to the editors*) 28:362
- MR imaging features of the posterior intermalleolar ligament in patients with posterior impingement syndrome of the ankle 28:573
- MR imaging features, light chain deposition disease in multiple myeloma: correlated with histopathological findings (*case report*) 27:173
- MR imaging findings in spring ligament insufficiency 28:245
- MR imaging of brachial plexopathy in breast cancer patients without palpable recurrence 28:318
- MR imaging of epicondylitis 27:133
- MR imaging of flexor digitorum accessorius longus 28:130
- MR imaging of hyaline cartilage at 0.5 T: a quantitative and qualitative in vitro evaluation of three types of sequences 27:297
- MR imaging of inflammatory joint diseases of the foot and ankle (*review article*) 28:663
- MR imaging of symptomatic osteochondromas with pathological correlation 27:427
- MR imaging of the major nerves about the elbow: cadaveric study examining the effect of flexion and extension of the elbow and pronation and supination of the forearm 27:419
- MR imaging of ulnar nerve entrapment secondary to an anomalous wrist muscle (*case report*) 27:218
- MR imaging with electrophysiologic correlation, denervation syndromes of the shoulder girdle: 28:567
- MR imaging, characteristics of calcaneal bone infarction: an investigation 27:321
- MR imaging, fibrolipomatous hamartoma: pathognomonic on 28:260
- MR imaging, frequency and spectrum of abnormalities in the bone marrow of the wrist: findings 28:312
- MR imaging, gadolinium-enhanced, chondroblastic osteosarcoma: characterisation by, correlated with histopathology 27:145
- MR imaging, grading of subcutaneous soft tissue tumors by means of their relationship with the superficial fascia on 27:657
- MR imaging, internal derangement of the knee after ipsilateral femoral shaft fracture: findings 27:434
- MR imaging, intramuscular vascular malformations of an extremity: findings on and pathologic correlation 28:515
- MR imaging, posteromedial corner of the knee: with gross anatomic correlation 28:305
- MR imaging, the plantar fasciotomy: findings in asymptomatic volunteers 28:447
- MR pulse sequences in vitro, cartilage destruction in small joints by rheumatoid arthritis: assessment of fat-suppressed three-dimensional gradient-echo 27:677
- MR visualization of the popliteomeniscal fascicles 28:561
- MRI appearance of clear cell hidradenoma (*case report*) 28:104
- MRI appearances, rheumatoid nodule of the foot: mimicking an indeterminate soft tissue mass (*case report*) 27:457

- MRI characteristics, the septic versus non-septic inflamed joint: 28:616
- MRI evaluation of post-operative seromas in extremity soft tissue sarcomas 28:279
- MRI findings in intramuscular lipomas 28:145
- MRI findings of thoracolumbar spine fractures: a categorisation based on MRI examinations of 100 fractures 28:433
- MRI findings, muscle hernias of the lower leg: (*case report*) 28:465
- MRI follow-up of pisiform bone transposition for treatment of lunatomalacia 27:26
- MRI in guiding biopsy, Langerhans' cell histiocytosis of the spine: use of 27:673
- MRI of fractures of the distal radius: comparison with conventional radiographs 27:244
- MRI of meniscal bucket-handle tears 27:495
- MRI of pediatric growth plate injury: correlation with plain film radiographs and clinical outcome 27:250
- MRI of the glenohumeral, joint joint fluid enhancement at, with intravenous injection of gadodiamide in standard and triple dose: a prospective comparative study of stable and unstable shoulders 27:87
- MRI, a comparison of bone scintigraphy and, in the early diagnosis of the occult scaphoid waist fracture 27:683
- MRI, dynamic contrast-enhanced, with subtraction of aggressive soft tissue tumors after resection 27:505
- MRI, heterogeneous signal in bone marrow on, of children's feet: a normal finding? 28:274
- MRI, sacral hydatidosis: value of, in the diagnosis (*case report*) 27:518
- MRI, treated plasma cell lesions of bone with, signs of response to treatment: unexpected pathological findings (*case report*) 27:692
- MRI-induced retrocalcaneal bursitis (*case report*) 28:581
- Multicentric fibromatosis, sclerotomy distribution of melorheostosis and (*case report*) 27:633
- Multicentric malignant transformation of multiple exostoses (*case report*) 27:233
- Multifocal osteosarcoma as second tumor after childhood retinoblastoma (*case report*) 28:415
- Multiple enchondromatosis, simultaneous occurrence of a supra- and an infratentorial glioma in a patient with Ollier's disease: more evidence for non-mesodermal tumor predisposition in (*case report*) 27:688
- Multiple myeloma, light chain deposition disease in: MR imaging features correlated with histopathological findings (*case report*) 27:173
- Muscle hernias of the lower leg: MRI findings (*case report*) 28:465
- Muscle, erector spinae, Castleman's disease of the (*case report*) 27:637
- Musculoskeletal procedures, percutaneous, potentials of a new laser guidance system for 27:18
- Mycobacterium haemophilum*, considering, in the differential diagnosis for lytic bone
- Myelopathy, thoracic, extraosseous calcified plasmacytoma causing (*case report*) 28:347
- Myofibromatosis, solitary infantile, involving the clavicle (*case report*) 28:473
- Myositis, focal (*case report*) 27:283
- Myositis, proliferative in a child (*case report*) 28:703
- Navicular, tarsal, relations in club foot: is there a role for magnetic resonance imaging? 27:440
- Neck, radiographic measurement of prevertebral soft tissue thickness on lateral radiographs of the 28:444
- Nerve palsy, posterior interosseous caused by parosteal lipoma of the proximal radius 27:375
- Nerve sheath tumor, peripheral, intraosseous malignant, in a patient with neurofibromatosis (*case report*) 27:346
- Neurilemmoma of the mandible (*case report*) 28:536
- Neurofibroma, congenital maldevelopment of intervertebral disc simulating a (*case report*) 27:388
- Neurofibromatosis, intraosseous malignant peripheral nerve sheath tumor in a patient with (*case report*) 27:346
- Nontuberculous mycobacterial bursitis and arthritis of the shoulder (*case report*) 27:33
- Ollier's disease, simultaneous occurrence of a supra- and an infratentorial glioma in a patient with: more evidence for non-mesodermal tumor predisposition in multiple enchondromatosis (*case report*) 27:688
- Oncogenic osteomalacia presenting as bilateral stress fractures of the tibia (*case report*) 28:46
- Orientation-dependent changes in MR signal intensity of articular cartilage: a manifestation of the "magic angle" effect 27:306
- Osseous hemangiopericytomas of unsuspected intracranial origin (*case report*) 27:98
- Ossifying fibromyxoid tumor resembling parosteal osteosarcoma (*case report*) 27:578
- Osteoarthritis, radiography in of the knee (*review article*) 28:605
- Osteoblastoma, spinal: CT and MR imaging with pathological correlation 28:33
- Osteochondroma and secondary synovial osteochondromatosis (*case report*) 28:169
- Osteochondroma, malignant degeneration of an with unusual intra-bursal invasion (*case report*) 28:540
- Osteochondroma, spontaneous resolution of a solitary (*case report*) 27:53
- Osteochondromas, symptomatic, MR imaging of, with pathological correlation 27:427
- Osteodystrophy, erosive azotemic, clinical significance of: a prospective masked study 28:86
- Osteogenic sarcoma with skeletal muscle metastases (*case report*) 28:298
- Osteogenic sarcoma, high-grade, preoperative evaluation and monitoring chemotherapy in patients with and Ewing's sarcoma: review of current imaging modalities (*review article*) 27:57
- Osteogenic sarcoma, recurrent, multiple, calcified soft tissue metastases from, without pulmonary involvement (*case report*) 28:710
- Osteoid osteoma, peritumoral edema in, on magnetic resonance imaging 28:265
- Osteoid osteomas, doppler duplex color localization of (*case report*) 28:107
- Osteolysis, massive in a girl with agenesis of thyroid C cells (*case report*) 27:525
- Osteolytic extra-axial sacral myxopapillary ependymoma (*case report*) 28:584
- Osteoma, parosteal, of the iliac bone (*case report*) 27:161
- Osteomalacia, oncogenic, presenting as bilateral stress fractures of the tibia (*case report*) 28:46
- Osteomyelitis, primary multifocal tuberculous, with involvement of the ribs (*case report*) 27:641
- Osteopenia, complications related to, in the thoracic spine on the admission chest radiographs of substance abuse detoxification patients 27:565
- Osteopetrosis, type 2 autosomal dominant, slipped capital femoral epiphysis in a patient with (*case report*) 27:515
- Osteoporosis, partial transient of the hand 28:324
- Osteosarcoma in a patient with McCune-Albright syndrome and Mazabraud's syndrome (*case report*) 28:522
- Osteosarcoma of the metatarsal bone (*case report*) 28:294
- Osteosarcoma, bifocal sclerosing: unusual presentation and course (*case report*) 27:453
- Osteosarcoma, chondroblastic: characterisation by gadolinium-enhanced MR imaging correlated with histopathology 27:145
- Osteosarcoma, dedifferentiated parosteal, with rhabdomyosarcomatous differentiation (*case report*) 28:527
- Osteosarcoma, intracortical (*case report*) 27:228
- Osteosarcoma, intracortical osteoblastic, with oncogenic rickets (*case report*) 28:41
- Osteosarcoma, multifocal, as second tumor after childhood retinoblastoma (*case report*) 28:415
- Osteosarcoma, parosteal of a metatarsal with intramedullary invasion (*case report*) 28:111
- Osteosarcoma, parosteal, dedifferentiated, with high-grade osteoclast-rich osteogenic sarcoma at presentation (*case report*) 27:574
- Osteosarcoma, parosteal, ossifying fibromyxoid tumor resembling (*case report*) 27:578

- Osteosarcoma, parosteal, recurrent, of the talus in a 2-year-old child (*case report*) 27:157
- Osteosarcoma, post-Paget telangiectatic, of the skull (*case report*) 28:470
- Osteosclerotic lesion, vanishing, of the humeral head (*case report*) 27:50
- Osteotomy, transtrochanteric rotational, bone scintigraphy and magnetic resonance imaging after 28:251
- Paget disease of the skull, computed tomography of versus fibrous dysplasia 27:664
- Paget's sarcoma of tibiae, synchronous, in which Paget's disease was limited to these bones (*case report*) 28:599
- Paraganglioma, carotid body metastatic to bone: report of two cases (*case report*) 27:103
- Parosteal osteoma of the iliac bone (*case report*) 27:161
- Parosteal osteosarcoma of a metatarsal with intramedullary invasion (*case report*) 28:111
- Parosteal osteosarcoma, dedifferentiated, with high-grade osteoclast-rich osteogenic sarcoma at presentation (*case report*) 27:574
- Parosteal osteosarcoma, ossifying fibromyxoid tumor resembling (*case report*) 27:578
- Partial transient osteoporosis of the hand 28:324
- Patella, tuberculosis of the (*case report*) 27:40
- Patellar tracking, proximal patellar tendinosis and abnormalities of 28:220
- Peripheral focal low signal intensity areas in the degenerated annulus fibrosus on T2-weighted fast spin echo MR images: correlation with macroscopic and microscopic findings in elderly cadavers 28:209
- Peripheral nerves, tumors of: correlation of symptoms, clinical signs, imaging features, and histologic diagnosis 28:183
- Peritumoral edema in osteoid osteoma on magnetic resonance imaging 28:265
- Peroneal nerve palsy caused by intraneural ganglion (*case report*) 28:52
- Phalanx, giant cell reparative granuloma of the, of the hand with aggressive radiographic features (*case report*) 27:584
- Pigmented villonodular synovitis, malignancy in (*case report*) 27:392
- Pisiform bone, MRI follow-up of transposition for treatment of lunatomalacia 27:26
- Plantar aponeurosis, ultrasound of the (fascia) 28:21
- Plasma cell lesions of bone, treated, with MRI signs of response to treatment: unexpected pathological findings (*case report*) 27:692
- Plasmacytoma, extraosseous calcified, causing thoracic myelopathy (*case report*) 28:347
- Polyostotic fibrous dysplasia associated with intramuscular myxomas Maza-braud's syndrome (*case report*) 27:278
- Popliteal vascular malformation simulating a soft tissue sarcoma (*case report*) 28:532
- Popliteomeniscal fascicles, MR visualization of the 28:561
- Positron emission tomography, skeletal metastases from breast cancer: uptake of ^{18}F -fluoride measured with in correlation with CT 27:72
- Posterior interosseous nerve palsy caused by parosteal lipoma of the proximal radius 27:375
- Posterior labrocapsular periosteal sleeve avulsion complicating locked posterior shoulder dislocation (*case report*) 27:588
- Posteromedial corner of the knee: MR imaging with gross anatomic correlation 28:305
- Posteromedial subtalar coalition: imaging appearances in three cases 28:691
- Post-Paget telangiectatic osteosarcoma of the skull (*case report*) 28:470
- Post-traumatic and stress-induced osteolysis of the distal clavicle: MR imaging findings in 17 patients 28:202
- Post-traumatic bone cyst: a case of the floating fragment (*case report*) 27:400
- Potentials of a new laser guidance system for percutaneous musculoskeletal procedures 27:18
- Precision and intersite correlation of bone densitometry at the radius, tibia and femur with peripheral quantitative CT 28:696
- Prenatal diagnosis of distal arthrogryposis type I (*case report*) 28:233
- Preoperative evaluation and monitoring chemotherapy in patients with high-grade osteogenic and Ewing's sarcoma: review of current imaging modalities (*review article*) 27:57
- Primary clear cell sarcoma of bone: a unique site of origin (*case report*) 28:240
- Primary juxtacortical chondrosarcoma dedifferentiating after 20 years (*case report*) 27:563
- Primary multifocal tuberculous osteomyelitis with involvement of the ribs (*case report*) 27:641
- Primary non-Hodgkin lymphoma of bone: unusual manifestation of lymphoproliferative disease following liver transplantation (*case report*) 28:175
- Progressive destructive vertebral sarcoid leading to surgical fusion (*case report*) 28:717
- Proliferative myositis in a child (*case report*) 28:703
- Proximal patellar tendinosis and abnormalities of patellar tracking 28:220
- Psoriatic arthritis, the prevalence of sacroiliitis in: new perspectives from a large, multicenter cohort. A Department of Veterans Affairs Cooperative Study 28:196
- Radiation-induced tibial sarcoma in a treated case of hind foot angiomatosis (*case report*) 27:164
- Radiographic and histologic patterns of calcification in chondromyxoid fibroma 27:559
- Radiographic evaluation of the lumbosacral disc height 28:638
- Radiographic measurement of prevertebral soft tissue thickness on lateral radiographs of the neck 28:444
- Radiographically ossified ganglion cyst of the finger in a swimmer (*case report*) 27:705
- Radiography in osteoarthritis of the knee (*review article*) 28:605
- Radiological assessment of the position of the tibial tuberosity by means of a marking wire in knees with patellofemoral arthritis 28:27
- Radius, proximal, posterior interosseous nerve palsy caused by parosteal lipoma of the 27:375
- Recurrent parosteal osteosarcoma of the talus in a 2-year-old child (*case report*) 27:157
- Recurrent, multiple, calcified soft tissue metastases from osteogenic sarcoma without pulmonary involvement (*case report*) 28:710
- Reflex sympathetic dystrophy, synovial effusion in: an additional sign for diagnosis and staging 27:262
- Regional bone changes in deep soft tissue hemangiomas: radiographic and MR features 27:205
- Renal cell carcinoma, sarcomatoid, sclerotic bone metastases from (*case report*) 28:590
- Reply (*letter to the editors*) 28:58
- Reply (*letter to the editors*) 28:362
- Retinoblastoma, multifocal osteosarcoma as second tumor after childhood (*case report*) 28:415
- Rhabdomyosarcomatous differentiation, dedifferentiated parosteal osteosarcoma with (*case report*) 28:527
- Rheumatoid arthritis, cartilage destruction in small joints by: assessment of fat-suppressed three-dimensional gradient-echo MR pulse sequences in vitro 27:677
- Rheumatoid nodule of the foot: MRI appearances mimicking an indeterminate soft tissue mass (*case report*) 27:457
- Rhizomelic skeletal dysplasia, severe, in a museum skeleton (*case report*) 27:46
- Rib, upper extremity and, stress fractures in a child (*case report*) 27:403
- Ribs, primary multifocal tuberculous osteomyelitis with involvement of the (*case report*) 27:641
- Rice body formation in bicipito-radial bursitis: ultrasound, CT, and MRI findings (*case report*) 27:30
- Rickets, ebb and flow, in a premature infant: the Afghan turban sign (*case report*) 28:651
- Rickets, oncogenic, intracortical osteoblastic osteosarcoma with (*case report*) 28:41
- Rosai-Dorfman disease, sinus histiocytosis with massive lymphadenopathy present-

- ing with skeletal lesions (*case report*) 27:115
- Rotator cuff tears, anterior versus posterior, and rim-rem: prevalence and MR sensitivity 27:237
- Sacral hydatidosis: value of MRI in the diagnosis (*case report*) 27:518
- Sacroiliitis in children, Use of contrast-enhanced MR imaging to detect 27:606
- Sacroiliitis, comparison of radiography, computed tomography and magnetic resonance imaging in the detection of, accompanying ankylosing spondylitis 27:311
- Sacroiliitis, the prevalence of, in psoriatic arthritis: new perspectives from a large, multicenter cohort. A Department of Veterans Affairs Cooperative Study 28:196
- Sacrum, cryptococcoma of the (*case report*) 28:49
- Sacrum, granulocytic sarcoma (chloroma) of the: initial manifestation of leukemia (*case report*) 27:112
- SAPHO syndrome, vertebral involvement in: MRI findings (*case report*) 28:163
- SAPHO syndrome: 20-year follow-up (*case report*) 28:159
- Sarcoid, vertebral, progressive destructive leading to surgical fusion (*case report*) 28:717
- Sarcoidosis, sclerotic lesions of the cervical spine in (*case report*) 27:702
- Sarcoidosis, subcutaneous, imaging features of 27:359
- Sarcoma of bone, primary clear cell: a unique site of origin (*case report*) 28:240
- Sarcoma, popliteal vascular malformation simulating a soft tissue (*case report*) 28:532
- Sarcoma, radiation-induced tibial, in a treated case of hind foot angiomatosis (*case report*) 27:164
- Scaphoid waist fracture, a comparison of bone scintigraphy and MRI in the early diagnosis of the occult 27:683
- Schmorl's nodes, tunneling (*case report*) 27:225
- Schnitzler's syndrome (*case report*) 27:294
- Scintigraphy, bone, magnetic resonance imaging: a cost-effective alternative to, in the evaluation of patients with suspected hip fractures 27:199
- Sclerotic bone metastases from sarcomatoid renal cell carcinoma (*case report*) 28:590
- Sclerotic lesions of the cervical spine in sarcoidosis (*case report*) 27:702
- Sclerotic variant of lymphangiomatosis of bone: imaging findings at diagnosis and long-term follow-up (*case report*) 27:445
- Sclerotomy distribution of melorheostosis and multicentric fibromatosis (*case report*) 27:633
- Scoliosis circa 2000: radiologic imaging perspective. I. Diagnosis and pretreatment evaluation (*review article*) 27:591
- Scoliosis circa 2000: radiologic imaging perspective. II. Treatment and follow-up (*review article*) 27:651
- Scoliosis, congenital, three-dimensional computed tomography in the assessment of 28:632
- Seromas, MRI evaluation of post-operative, in extremity soft tissue sarcomas 28:279
- Severe rhizomelic skeletal dysplasia in a museum skeleton (*case report*) 27:46
- Shoulder girdle, denervation syndromes of the: MR imaging with electrophysiologic correlation 28:567
- Shoulder MRI after impingement test injection 27:365
- Shoulder, anterior instability, indirect MR arthrography of, in the ABER and the apprehension test positions: a prospective comparative study of the two different positions during MRI using intravenous gadodiamide contrast for enhancement of the joint fluid 27:488
- Shoulder, internal derangements of the: decision tree and cost-effectiveness analysis of conventional arthrography, conventional MRI, and MR arthrography 28:670
- Shoulder, MR arthrographic findings in tenosynovitis of the long bicipital tendon of the 27:7
- Shoulder, nontuberculous mycobacterial bursitis and arthritis of the (*case report*) 27:33
- Shoulder, posterior dislocation, posterior labrocapsular periosteal sleeve avulsion complicating (*case report*) 27:588
- Shoulder, three-dimensional, kinematics analysis, a new in vivo technique for 27:92
- Shoulders, stable and unstable, joint fluid enhancement at MRI of the glenohumeral joint with intravenous injection of gadodiamide in standard and triple dose: a prospective comparative study of 27:87
- Sickle cell disease, "Tower vertebra": a new observation in 27:195
- Silicone synovitis: MR imaging in five patients 27:13
- Simultaneous occurrence of a supra- and an infratentorial glioma in a patient with Ollier's disease: more evidence for non-mesodermal tumor predisposition in multiple enchondromatosis (*case report*) 27:688
- Sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease) presenting with skeletal lesions (*case report*) 27:115
- Skeletal age assessment in children and young adults: comparison between a newly 27:664
- Skeletal metastases from breast cancer: uptake of ^{18}F -fluoride measured with positron emission tomography in correlation with CT 27:72
- Skull, computed tomography of Paget disease of the, versus fibrous dysplasia 27:664
- Skull, post-Paget telangiectatic osteosarcoma of the (*case report*) 28:470
- Slipped capital femoral epiphysis in a patient with type 2 autosomal dominant osteopetrosis (*case report*) 27:515
- Slipped capital femoral epiphysis: a physal lesion diagnosed by MRI, with radiographic and CT correlation 27:139
- Soft tissue tumors, aggressive, after resection, dynamic contrast-enhanced MRI with subtraction of 27:505
- Soft tissue tumors, subcutaneous, grading of, by means of their relationship with the superficial fascia on MR imaging 27:657
- Soleus tendon, low incorporation of: a potential diagnostic pitfall on MR imaging (*case report*) 27:222
- Solitary infantile myofibromatosis involving the clavicle (*case report*) 28:473
- Sonographic findings, tuberculous infection of the gracilis muscle and tendon clinically mimicking deep venous thrombosis: (*case report*) 28:457
- Sonographic method, skeletal age assessment in children and young adults: comparison between a newly, developed and conventional methods 27:271
- Spinal cord compression caused by thoracic vertebral hemangioma involving only the posterior elements of two contiguous vertebrae (*case report*) 27:169
- Spinal osteoblastoma: CT and MR imaging with pathological correlation 28:33
- Spine, Langerhans' cell histiocytosis of the: use of MRI in guiding biopsy 27:673
- Spondyloepiphyseal dysplasia with accumulation of glycoprotein in the chondrocytes: spondyloepiphyseal dysplasia, Stanesco type 27:188
- Spontaneous resolution of a solitary osteochondroma (*case report*) 27:53
- Spring ligament, MR imaging findings in insufficiency 28:245
- Stanesco type, spondyloepiphyseal dysplasia with accumulation of glycoprotein in the chondrocytes: spondyloepiphyseal dysplasia, 27:188
- Stress fractures of the lateral metatarsal bones in metatarsal adductus foot deformity: a previously unrecognized association 28:679
- Stress fractures of the metatarsal heads 27:22
- Stress fractures of the tibia, oncogenic osteomalacia presenting as bilateral (*case report*) 28:46
- Stress fractures, unusual longitudinal, of the femoral diaphysis: report of five cases 28:81
- Stress fractures, upper extremity and rib, in a child (*case report*) 27:403
- Subacromial bursa, MR imaging after therapeutic injection of the 28:628
- Subacromial-subdeltoid lipoma arboreus associated with a rotator cuff tear (*case report*) 28:283
- Subcutaneous granuloma annulare: MR imaging findings (*case report*) 27:215
- Subcutaneous granuloma annulare: radiologic appearance 27:266
- Substance abuse detoxification patients, complications related to osteopenia in the thoracic spine on admission chest radiographs of 27:565

- Subtalar coalition, posteromedial: imaging appearances in three cases 28:691
- Surface-based hemangioma of bone: three case studies and a review of the literature 27:182
- Synchronous Paget's sarcoma of tibiae in which Paget's disease was limited to these bones (*case report*) 28:599
- Synovial chondromatosis in a lumbar apophyseal joint (*case report*) 27:385
- Synovial desmoplastic fibroblastoma of hip joint with bone erosion (*case report*) 28:402
- Synovial effusion in reflex sympathetic dystrophy: an additional sign for diagnosis and staging 27:262
- Synovial osteochondromatosis, secondary, osteochondroma and (*case report*) 28:169
- Synovitis, silicone: MR imaging in five patients 27:13
- Talus, fracture of the lateral process of the: appearance at MR imaging and clinical significance (*case report*) 28:236
- Talus, recurrent parosteal osteosarcoma of the, in a 2-year-old child (*case report*) 27:157
- Tarsal navicular relations in club foot: is there a role for magnetic resonance imaging? 27:440
- Temporomandibular joint, magnetic resonance imaging of the: diagnostic difficulty caused by extensive pneumatization of the mastoid air cells 28:577
- Tendons, flexor digitorum, closed ruptures of the, MRI evaluation 27:617
- Tenosynovitis, MR arthrographic findings in, of the long bicipital tendon of the shoulder 27:7
- The cost-effectiveness of routine pelvic radiography in the evaluation of blunt trauma patients 28:271
- The pathology of total joint arthroplasty. I. Mechanisms of implant fixation (*review article*) 28:423
- The pathology of total joint arthroplasty. II. Mechanisms of implant failure (*review article*) 28:483
- The plantar fasciotomy: MR imaging findings in asymptomatic volunteers 28:447
- The prevalence of sacroiliitis in psoriatic arthritis: new perspectives from a large, multicenter cohort. A Department of Veterans Affairs Cooperative Study 28:196
- The radiological findings in chronic expanding hematoma 28:396
- The septic versus nonseptic inflamed joint: MRI characteristics 28:616
- Thigh, deep soft tissue leiomyoma of the (*case report*) 28:411
- Thoracic myelopathy, extraosseous calcified plasmacytoma causing (*case report*) 28:347
- Thoracic spine on admission chest radiographs, complications related to osteopenia in the, of substance abuse detoxification patients 27:565
- Thoracic vertebral, hemangioma, spinal cord compression caused by, involving only the posterior elements of two contiguous vertebrae (*case report*) 27:169
- Thoracolumbar, MRI findings of spine fractures: a categorisation based on MRI examinations of 100 fractures 28:433
- Three-dimensional computed tomography in the assessment of congenital scoliosis 28:632
- Three-dimensional CT measurement of adult acetabular dysplasia: technique, preliminary results in normal subjects, and potential applications 27:352
- Thyroid C cells, agenesis of, massive osteolysis in a girl with (*case report*) 27:525
- Tibial plateau erosions associated with lateral meniscal cysts (*case report*) 27:288
- Tibial tuberosity, radiological assessment of the position of the, by means of a marking wire in knees with patellofemoral arthritis 28:27
- Tibial, radiation-induced, sarcoma in a treated case of hind foot angiomatosis (*case report*) 27:164
- "Tower vertebra": a new observation in sickle cell disease 27:195
- Transient osteoporosis, a clinicopathologic study of, of the hip 28:621
- Trauma, blunt, the cost-effectiveness of routine pelvic radiography in the evaluation of, patients 28:271
- Treated plasma cell lesions of bone with MRI signs of response to treatment: unexpected pathological findings (*case report*) 27:692
- Trisomy 8 mosaicism, broad clavicles in: a new sign (*case report*) 28:359
- Tuberculosis of the patella (*case report*) 27:40
- Tuberculous gluteal abscess without bone involvement (*case report*) 27:36
- Tuberculous infection of the gracilis muscle and tendon clinically mimicking deep venous thrombosis: sonographic findings (*case report*) 28:457
- Tuberculous osteomyelitis, primary multifocal, with involvement of the ribs (*case report*) 27:641
- Tuberous sclerosis, digital enlargement in (*case report*) 28:116
- Tumors of peripheral nerves: correlation of symptoms, clinical signs, imaging features, and histologic diagnosis 28:183
- Tunneling Schmorl's nodes (*case report*) 27:225
- Types of manuscripts for Skeletal Radiology 27:351
- Ulnar nerve, entrapment, MR imaging of, secondary to an anomalous wrist muscle (*case report*) 27:218
- Ultrasound of the plantar aponeurosis (fascia) 28:21
- Unusual longitudinal stress fractures of the femoral diaphysis: report of five cases 28:81
- Upper extremity and rib stress fractures in a child (*case report*) 27:403
- Vacuum disc: frequency of high signal intensity on T2-weighted MR images 27:83
- Value of arthrography after supination trauma of the ankle 27:256
- Vanishing osteosclerotic lesion of the humeral head (*case report*) 27:50
- Variations in meniscofemoral ligaments at anatomical study and MR imaging 28:189
- Vascular malformation, popliteal, simulating a soft tissue sarcoma (*case report*) 28:532
- Vascular malformations, intramuscular, of an extremity: findings on MR imaging and pathologic correlation 28:515
- Vertebral intra-osseous chordoma, or giant notochordal rest? (*case report*) 28:342
- Vertebral involvement in SAPHO syndrome: MRI findings (*case report*) 28:163
- Vertebral sarcoid, progressive destructive, leading to surgical fusion (*case report*) 28:717
- Vertebral shape, measurements of, by radiographic morphometry: sex differences and relationships with vertebral level and lumbar lordosis 27:380
- Wrist and hand, high-frequency ultrasound examination of the (*review article*) 28:121
- Wrist, anomalous muscle, MR imaging of ulnar nerve entrapment secondary to an (*case report*) 27:218
- Wrist, frequency and spectrum of abnormalities in the bone marrow of the: MR imaging findings 28:312

